

**DIMENSIONS** (mm) Width of passage: 800-900 Glass height: 900

#### CONSTRUCTION

Simplified fixing to a foundation due to glued anchor bolts (anchors not included)

# DATASHEET

## **SPEED GATES**

GT-2 | GT-3 | GT-4

Safetell's Speed Gates GT provide an aesthetically pleasing entrance control and anti-tailgating solution to a building or secure area. Typical applications include airports, authorised personnel entry points, government buildings, corporate buildings, museums, theatres, arenas, stadiums, leisure centres and gyms.

#### MAIN FEATURES

- Easy set up a control panel equipped with a display and a multifunction selector allows easy setup of functions and operating modes
- LED icons show active/inactive traffic directions in the passage
- Sound signalling an alarm sounds when an unusual situation occurs, e.g. two people trying to pass in the same or opposite directions without authorisation, unauthorised access or an unauthorised object within the movement detection area
- Emergency exit the gate remains open of a power failure
- Sensor array system software detects if two people try to pass through at one time or an unauthorised person tries to enter
- Overload protection all gates have additional overload protection systems to stop the wings and sound an alarm if an obstacle is detected
- · Standard finish is stainless steel

#### **OPTIONAL**

- Optional finishes include RAL 9003, RAL 7016, RAL 5010, RAL 6002
- Glazing colour finishes include clear, dark grey, dark blue, bronze




SERVICE &
MAINTENANCE
AVAILABLE

+44 (0) 1322 223 233

sales@safetell.co.uk safetell.co.uk

## **TECHNICAL DRAWINGS**



## **FINISHES**































### WE ARE FULLY ACCREDITED













+44 (0) 1322 223 233

